

# SCRUBBER DRIER **ASD - 40 E**



# SCRUBBER DRIER

## ASD - 40 E

### Standard Features

- Cleans and dries floors in a single pass
- Powerful suction and scrubbing performance
- Large solution and recovery tank capacity
- Heavy-duty brushes for effective scrubbing
- Low noise operation for indoor & outdoor use
- Durable construction for long service life
- High productivity with wide cleaning path
- Comfort-grip handle with intuitive controls

### Technical Specifications

Scrubbing Width (mm)	- 510
Squeegee Width (mm)	- 790
Brush Speed (rpm)	- 160
Solution Tank (lirs.)	- 50
Recovery Tank (ltrs.)	- 40
Vacuum (mm H2O)	- 2200
Power Cons.(W)	- 1500
Area Coverage (Sq. mt./hr)	- 2000
Weight (kgs.) (Appx.)	- 85
Dimensions (mm)	- 1230X560X910
Power Supply (V)	- 230V-50Hz
Type of Drive	- Electric
Machine Working Type	- Walk Behind
Wheels	- Solid Rubber
Power Cable Length (mtr)	- 15
Number of Brushes	- 1



# SCRUBBER DRIER ASD - 40 B



# SCRUBBER DRIER

## ASD - 40 B

### Standard Features

- Cleans and dries floors in a single pass
- Powerful suction and scrubbing performance
- Large solution and recovery tank capacity
- Heavy-duty brushes for effective scrubbing
- Low noise operation for indoor & outdoor use
- Durable construction for long service life
- High productivity with wide cleaning path
- Comfort-grip handle with intuitive controls



### Technical Specifications

Scrubbing Width (mm)	- 510
Squeegee Width (mm)	- 790
Brush Speed (rpm)	- 160
Solution Tank (lirs.)	- 50
Recovery Tank (ltrs.)	- 40
Vacuum (mm H2O)	- 2200
Area Coverage (Sq. mt./hr)	- 2000
Weight (kgs.) (Appx.)	- 115
Dimensions (mm)	- 1230X560X910
Power Supply (V)	- 24V- DC
Type of Drive	- Battery
Number of Batteries	- 2 X 100 AH
Charging Time (Hrs)	- 6-8
Backup Time (Hrs)	- 3-8
Machine Working Type	- Walk Behind
Wheels	- Solid Rubber
Number of Brushes	- 1



# VACUUM CLEANER

## VAC - 80



# VACUUM CLEANER

## VAC-80

### Standard Features

- Durable body construction
- Low noise operation
- Ergonomic & compact design
- Energy-efficient motor
- Versatile cleaning attachments
- Heavy-duty wheels for mobility
- Easy maintenance
- Multi-stage filtration system



### Technical Specifications

Max Watt (W)	- 3000
Power Supply	- 230V-50Hz
Suction (mm H2O)	- 3000
Air Flow (m3/hr)	- 432
Application	- Wet and Dry
Container Capacity Ltr.	- 80
Noise Level (DB)	- 70
Power Cord (Mtr)	- 8
Filter Clean Operation	- Manual
Material Of the Body & Container	- Stainless Steel
Material of Flexible Hose	- Polypropylene
Number of Motors	- 1
Vacuum level (Millibar)	-
Overall Dimension(LXWXH)	-
Net Weight (Kg)	-



# INDUSTRIAL VACUUM CLEANER **VAC-270 (3 HP)**



# INDUSTRIAL VACUUM CLEANER

## VAC-270 (3 HP)

### Standard Features

- Three Phase Side Chanel Blower
- Switch Motor Protector
- Chassis On Wheels With Brakes
- Release Container System
- Accessory Container
- L Class Filter
- Manual Filter Shaker
- Disposal Bag



### Technical Specifications

Max Watt (W)	- 3000
Power Supply	- 400V-50Hz
Suction (mm H2O)	-
Air Flow (m3/hr)	- 170
Application	- Wet and Dry
Container Capacity Ltr.	- 100
Noise Level (DB)	- 270
Power Cord (Mtr)	- 10
Filter Clean Operation	- Manual
Material Of the Body & Container	- Stainless Steel
Material of Flexible Hose	- Polypropylene
Number of Motors	- 1
Vacuum level (Millibar)	- 310
Overall Dimension(LXWXH) CM	- 100X50X110
Net Weight (Kg)	- 105



# INDUSTRIAL VACUUM CLEANER VAC-400 (5 HP)



# INDUSTRIAL VACUUM CLEANER

## VAC-400 (5 HP)

### Standard Features

- Three Phase Side Chanel Blower
- Switch Motor Protector
- Chassis On Wheels With Brakes
- Release Container System
- Accessory Container
- L Class Filter
- Manual Filter Shaker
- Disposal Bag



### Technical Specifications

Max Watt (W)	- 3300
Power Supply	- 400V-50Hz
Suction (mm H2O)	-
Air Flow (m3/hr)	- 400
Application	- Wet and Dry
Container Capacity Ltr.	- 100
Noise Level (DB)	- 75
Power Cord (Mtr)	- 10
Filter Clean Operation	- Manual
Material Of the Body & Container	- Stainless Steel
Material of Flexible Hose	- Polypropylene
Number of Motors	- 1
Vacuum level (Millibar)	- 320
Overall Dimension(LXWXH) CM	- 122X60X152
Net Weight (Kg)	- 125



# INDUSTRIAL VACUUM CLEANER VAC-530 (7.5 HP)



# INDUSTRIAL VACUUM CLEANER

## VAC-530 (7.5 HP)

### Standard Features

- Three Phase Side Chanel Blower
- Switch Motor Protector
- Chassis On Wheels With Brakes
- Release Container System
- Accessory Container
- L Class Filter
- Manual Filter Shaker
- Disposal Bag



### Technical Specifications

Max Watt (W)	- 5500
Power Supply	- 400V-50Hz
Suction (mm H2O)	-
Air Flow (m3/hr)	- 530
Application	- Wet and Dry
Container Capacity Ltr.	- 100
Noise Level (DB)	- 80
Power Cord (Mtr)	- 10
Filter Clean Operation	- Manual
Material Of the Body & Container	- Stainless Steel
Material of Flexible Hose	- Polypropylene
Number of Motors	- 1
Vacuum level (Millibar)	- 320
Overall Dimension(LXWXH) CM	- 122X60X152
Net Weight (Kg)	- 130



# SINGLE DISC SCRUBBER

## 2 HP




# SINGLE DISC SCRUBBER

## 2 HP

### Standard Features

- Heavy-duty motor for powerful scrubbing
- Sturdy and durable body design
- Low vibration for operator comfort
- Easy-to-use control handles
- Suitable for scrubbing, polishing, and buffing
- Wide cleaning path for higher productivity
- Long-lasting brushes and pads
- Low maintenance requirements



### Technical Specifications

Power Supply	- 230V-50Hz
Brush Diameter (mm)	- 430
Power Consumption (W)	- 1500
Brush Speed (RPM)	- 154
Brush Pressure (Kg)	- 40
Container Capacity Ltr.	- 10
Noise Level (DB)	- 65
Power Cord (Mtr)	- 10
Area Coverage m2/h	- 480
Electrical IP protection	- IPX4
Application	- Floor Scrubbing
Number of Motors	- 1
Net Weight (Kg)	- 48



# SINGLE DISC SCRUBBER

## 3 HP



# SINGLE DISC SCRUBBER

## 3 HP


### Standard Features

- Heavy-duty motor for powerful scrubbing
- Sturdy and durable body design
- Low vibration for operator comfort
- Easy-to-use control handles
- Suitable for scrubbing, polishing, and buffing
- Wide cleaning path for higher productivity
- Long-lasting brushes and pads
- Low maintenance requirements



### Technical Specifications

Power Supply	- 230V-50Hz
Brush Diameter (mm)	- 450
Power Consumption (W)	- 2250
Brush Speed (RPM)	-
Brush Pressure (Kg)	-
Container Capacity Ltr.	- 15
Noise Level (DB)	- 65
Power Cord (Mtr)	- 15
Area Coverage m2/h	-
Electrical IP protection	- IPX4
Application	- Floor Grinding & Polishing
Number of Motors	- 1
Net Weight (Kg)	- 80



# RIDE ON SCRUBBER DRIER

## RSD - 75



# RIDE ON SCRUBBER DRIER

## RSD - 75

### Standard Features

- Cleans and dries large floor areas in a single pass
- Powerful scrubbing system with strong suction performance
- Large-capacity solution and recovery tanks for extended operation
- Low-noise design suitable for indoor environments
- Wide cleaning path for maximum productivity
- Comfortable operator seat with easy-to-use controls



### Technical Specifications

Scrubbing Width (mm)	- 750
Squeegee Width (mm)	- 980
Brush Speed (rpm)	- 180
Solution Tank (lirs.)	- 75
Recovery Tank (ltrs.)	- 85
Vacuum (mm H2O)	-
Power Supply	- 24V, DC
Area Coverage (Sq. mt./hr)	- 4500
Weight (kgs.) (Appx.)	-
Dimensions (mm)	- 1420X850X1260
Type of Drive	- Battery Operated
Machine Working Type	- Ride-on
Wheels	- Solid Rubber
Number of Brushes	- 1
Noise (db)	- 59
Vacuum Motor (W)	- 24V 600W
Scrubbing Motor (W)	- 24V 2X450W



# RIDE ON SCRUBBER DRIER

## RSD - 110



# RIDE ON SCRUBBER DRIER

## RSD - 110

### Standard Features

- Cleans and dries large floor areas in a single pass
- Powerful scrubbing system with strong suction performance
- Large-capacity solution and recovery tanks for extended operation
- Low-noise design suitable for indoor environments
- Wide cleaning path for maximum productivity
- Comfortable operator seat with easy-to-use controls



### Technical Specifications

Scrubbing Width (mm)	- 850
Squeegee Width (mm)	- 1120
Brush Speed (rpm)	- 180
Solution Tank (ltrs.)	- 110
Recovery Tank (ltrs.)	- 120
Vacuum (mm H2O)	-
Power Supply	- 24V, DC
Area Coverage (Sq. mt./hr)	- 5525
Weight (kgs.) (Appx.)	-
Dimensions (mm)	- 1540X897X1287
Type of Drive	- Battery Operated
Machine Working Type	- Ride-on
Wheels	- Solid Rubber
Number of Brushes	- 1
Noise (db)	- 59
Vacuum Motor (W)	- 24V 500W
Scrubbing Motor (W)	- 24V 2X400W



# HIGH PRESSURE JETS

## HPJ -150



# HIGH PRESSURE JETS

## HPJ-150

### Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components

### Technical Specifications

Max Pressure (Bar)	- 150
Working pressure (Bar)	- 110
Power (Hz)	- 1Φ
Voltage (V)	- 230
Volume Discharge L/Min	- 8
Inlet Water Temp (°C)	- 50
Absorbed Power (W)	- 2250
RPM	- 2800
Power Supply	- Electrical
Electrical Cable(m)	-
Phase	- Single Phase
Type of Protection	- IPX5
Wheels	- Fiber Wheels
Number of Pistons	- 1
Weight	-



# HIGH PRESSURE JETS

## HPJ - 200



# HIGH PRESSURE JETS

## HPJ-200

### Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components



### Technical Specifications

Max Pressure (Bar)	- 200
Working pressure (Bar)	- 180
Power (Hz)	- 3Φ
Voltage (V)	- 400
Volume Discharge L/Min	- 12
Inlet Water Temp (°C)	- 50
Absorbed Power (W)	- 3750
RPM	- 1450
Power Supply	- Electrical
Electrical Cable(m)	-
Phase	- Three Phase
Type of Protection	- IPX5
Wheels	- Fiber Wheels
Number of Pistons	- 1
Weight	-



# HIGH PRESSURE JETS

## Engine Driven



# HIGH PRESSURE JETS

## Engine Driven

### Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components



### Technical Specifications

Max Pressure (Bar)	- 130
Working pressure (Bar)	- 40-130
Power (Hz)	- Engine
Voltage (V)	- Engine
Volume Discharge L/Min	- 13
Inlet Water Temp (°C)	- 50
Absorbed Power (W)	- 3580
RPM	- 1450
Power Supply	- Electrical
Electrical Cable(m)	-
Phase	-
Type of Protection	- IPX5
Wheels	- Fiber Wheels
Number of Pistons	- 1
Weight	-



# MANUAL SWEEPER



# MANUAL SWEEPER

## Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components



## Technical Specifications

Cleaning Width (mm)	- 700
Hopper Capacity (L)	- 50
Hopper Unloading	- Manual
Weight (Kg)	- 27
Dimensions (mm)	- 790X760X460
Cleaning Area ( m <sup>2</sup> /h )	- 2100
Material of Body	- Polypropylene
Main Brush (mm)	-
Number of Brushes	- 2
Number of Wheels	- 2
Material of Wheels	- Fiber Wheels



# BATTERY MANUAL SWEEPER



# BATTERY MANUAL SWEEPER

## Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components



## Technical Specifications

Cleaning Width (mm)	- 1000
Voltage	- 12V, DC
Dust Filter Area ( m <sup>2</sup> )	- 1.5
Batteries (V)	- 12V/100Ah
Gross Weight (Kg)	- 116
Dimensions (mm)	- 1010x955x780
Cleaning Area ( m <sup>2</sup> /h )	- 1500
Material of Body	- Polypropylene
Main Brush (mm)	-
Number of Brushes	- 2
Number of Wheels	- 2
Material of Wheels	- Fiber Wheels
Battery Life (hours)	- 5
Water Tank Volume (ltr)	- 12



# RIDE ON SWEEPER TRS - 1250



# RIDE ON SWEEPER

## TRS - 1250

### Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components



### Technical Specifications

Cleaning Width (mm)	- 1250
Hopper Capacity (ltr)	- 90
Water Tank capacity (Ltr)	- 30
Charger	- 24V/8A
Batteries (V)	- 48V/58Ah
Weight (Kg) (Inc. Battery)	- 339
Cleaning Area ( m <sup>2</sup> /h )	- 7500
Charging Time (hr)	- 8 to 10
Workink Time (hr)	- 2 to 3
Material of Body	- HDPE
Side Brush Width (mm)	- 460
Number of Brushes	- 3
Number of Wheels	- 3
Drive Motor (W)	- 800
Vacuum Motor (W)	- 500
Operating Size (mm)	- 1550x1250x1250



# RIDE ON SWEEPER TRS - 1450



# RIDE ON SWEEPER

## TRS - 1450

### Standard Features

- High-performance motor for powerful water pressure
- Robust and durable construction for long service life
- Adjustable pressure settings for different cleaning applications
- Ergonomic spray gun and easy-to-use controls
- Heavy-duty pump for consistent performance
- Suitable for cleaning vehicles, floors and outdoor areas
- Low maintenance requirements with reliable components



### Technical Specifications

Cleaning Width (mm)	- 1450
Hopper Capacity	- 150
Water Tank capacity (Ltr)	- 90
Charger	- 24V/15A
Batteries (V)	- 24V/100Ah
Weight (Kg) (Inc. Battery)	- 465
Cleaning Area ( m <sup>2</sup> /h )	- 8700
Charging Time (hr)	- 8 to 10
Workink Time (hr)	- 2 to 3
Material of Body	- HDPE
Side Brush Width (mm)	- 500
Number of Brushes	- 3
Number of Wheels	- 3
Drive Motor (W)	- 1000
Vacuum Motor (W)	- 500
Operating Size (mm)	- 1700x1400x1250



# VACUUM LITTER PICKER



# VACUUM LITTER PICKER

## Standard Features

- High-suction motor for efficient litter and debris collection
- Ergonomic handle and lightweight design for easy portability and operator comfort
- Low noise operation suitable for public and residential areas
- Easy-to-detach bin for quick and hygienic waste disposal
- Heavy-duty wheels for smooth movement on various surfaces
- Low maintenance requirements with durable, service-friendly components



## Technical Specifications

Drive	- Petrol Engine
Engine Capacity	- 1.1hp, 2 stroke
Fuel Consumption	- 300ml / hour
Dust Control	- Dust Filter bag
Collection Container Capacity	- 50 ltr
Garbage payload	- 10 Kg
MS Frame for Back Padding	- Powder Coated
Suction Air Flow (Approx)	- 450CFM
Speed Control	- Handheld Throttle
Flex Hose	- 110 mm, 1 mtr long
Country Of Origin	- India

